



# WEATHERBEATER™ FLOOR LINERS

PT #9587

## CARE AND USE INSTRUCTIONS

---


Thank you for selecting a WeatherBeater® Floor Liner from Husky Liners. Your new front floor liners are custom molded to fit your Subaru Ascent. The liners are made to take the place of your factory floor mats. **For correct fit, it is necessary to remove the factory floor mats before installing your new floor liners.** However, do not remove the factory-installed carpeting.

Your liners are made from an engineering resin that is lightweight and extremely tough and durable. The easiest way to clean your liners is with a damp cloth or sponge. If using a cleaner, 409® or Glass Plus® work well. Use of Armor All®, Son-of-a-Gun® or similar items is discouraged as these products make the liners slick.

## INSTALLATION INSTRUCTIONS FOR YOUR SUBARU ASCENT FRONT FLOOR LINERS



LEFT OR DRIVER'S SIDE



RIGHT OR PASSENGER'S SIDE

TO EASE INSTALLATION OF YOUR FRONT LINERS, MOVE BOTH FRONT SEATS TO THEIR MOST REARWARD POSITION. ONCE YOU HAVE INSTALLED YOUR LINERS, REPOSITION THE SEATS AS DESIRED. TAKE CARE THAT DRIVER'S SIDE LINER IS SECURELY ATTACHED TO THE FACTORY FLOOR MAT POSTS.



# WEATHERBEATER™ FLOOR LINERS CARE AND USE INSTRUCTIONS

PT #9587

Thank you for selecting a WeatherBeater™ Floor Liner from Husky Liners. Your new second seat liners are custom molded to fit your Subaru Ascent. The liners are made to take the place of your factory floor mats. **For correct fit, it is necessary to remove the factory floor mats before installing your new floor liners.** However, *do not remove the factory-installed carpeting.*

Your liners are made from an engineering resin that is lightweight and extremely tough and durable. The easiest way to clean your liners is with a damp cloth or sponge. If using a cleaner, 409® or Glass Plus® work well. Use of Armor All®, Son-of-a-Gun® or similar items is discouraged as these products make the liners slick.

## INSTALLATION INSTRUCTIONS FOR YOUR SUBARU ASCENT 2ND SEAT FLOOR LINER



TO EASE INSTALLATION OF YOUR NEW SUBARU ASCENT 2<sup>ND</sup> SEAT FLOOR LINERS, FIRST MOVE THE FRONT ROW SEATS COMPLETELY FORWARD TO EXPOSE THE 2<sup>ND</sup> ROW FLOOR PAN. THEN, INSTALL YOUR LINERS POSITIONING THEM AS SHOWN ABOVE. THE HUSKY LOGO PLATE WILL BE NEAREST THE DOOR WHEN THE LINERS ARE POSITIONED PROPERLY.

NOTE THAT SOME ASCENT MODELS HAVE AN OPTIONAL CUPHOLDER BUILT INTO THE BACK OF THE CONSOLE. IF YOUR ASCENT MODEL HAS THIS OPTION YOU WILL NEED TO TRIM YOUR LINER AS SHOWN IN THE IMAGE ABOVE. DETAILED TRIMMING INSTRUCTIONS INCLUDED ON THE BACK OF THIS PAGE.



## WEATHERBEATER™ FLOOR LINERS

PT #9587

TO TRIM PART, USE THE FRONT EDGE MOLDED IN STEP IN THE LINER AS YOUR TRIM GUIDE. A UTILITY KNIFE OR HEAVY SHEARS WORK WELL FOR TRIMMING.

